

LS-88Hi III

English

POWER SUPPLY

This calculator comes with a dual power source. The duration of Alkaline battery depends on individual usage.

(Note : Do not attempt to change the battery. Please have a Canon Service Center technician change the battery.)

■ Electromagnetic interference or electrostatic discharge may cause the display to malfunction or the contents of the memory to be lost or altered. Should this occur, press the key and re-start your calculation from the beginning.

SPECIFICATION

Power Source: Solar Cell and Alkaline battery (LR1130 x 1)

Automatic power-off function: Approx. **7 minutes**

Usable Temperature: 0°C to 40°C (32°F to 104°F)

Dimensions : 143mm (L) x 89.5mm (W) x 25mm (H) /

5-41/64" (L) x 3-17/32" (W) x 63/64" (H)

Weight : 90 g (3.04 oz)

(Subject to change without notices)

Bahasa Indonesia

CATU DAYA

Kalkulator ini dilengkapi dengan dua buah sumber daya.

Umur baterai alkaline hanya tergantung pada penggunaan masing-masing.

(CATATAN: Jangan mencoba mengganti baterai sendiri. Mintalah bantuan Canon Service Center untuk mengganti baterai untuk Anda).

■ Gangguan elektromagnetik atau lucutan elektrostatik dapat menyebabkan kerusakan pada tampilan atau isi di dalam memori hilang atau berubah. Apabila yang demikian ini terjadi, tekan tombol dan ulangi kalkulasi Anda dari awal.

SPESIFIKASI

Sumber Daya: Sel matahari dan baterai Alkaline (LR1130 X 1)

Power-off otomatis fungsi: Approx. **7 menit**

Suhu Operasi: 0°C to 40°C (32°F sampai 104°F)

Dimensi: 143mm (L) x 89.5mm (P) x 25mm (T)

Berat: 90 g

(Dapat berubah tanpa pemberitahuan)

CANON ELECTRONIC BUSINESS MACHINES (H.K.) CO., LTD.

17/F., Tower One, Ever Gain Plaza, 82-100 Container Port Road, Kwai Chung, New Territories, Hong Kong

CANON MARKETING (MALAYSIA) SON BHD.

Block D, Peremba Square, Sanjana Resort, Section U2, 40150 Shan Alam, Selangor Darul Ehsan, Malaysia

E-IM-2645

Catatan: Beberapa bagian plastik terbuat dari daur ulang bahan produk Canon yang mungkin telah hitam dot (s) atau warna plastik tidak merata.

Note: Some plastic parts are made from recycled material of Canon product which might have black dot(s) or uneven plastic color.

CUT AS SHOWN ON THE BACK TO SEE THE CALCULATION EXAMPLE AND IMPORTANT NOTES INSIDE THE BOX.

Calculation Example / Contoh Perhitungan

Calculation	Operation	Display
▼ MIXED 140-35+22=127 2 x 2-3=6 -7x9=-63 9÷5x3.2+7=12.76 (2+4)÷3x8.1=16.2	 140 35 22 2 2 3 7 9 9 5 3 2 7 2 4 3 8 1	(0.) (127.) (6.) (- 63.) (12.76) (16.2)
▼ CONSTANT 2+3=5 4+3=7 1-2=-1 2-2=0 5x3=15 4x4=20 6÷3=2 9÷3=3	2 3 4 3 1 2 2 2 5 3 4 4 6 3 9 3	(5.) (7.) (- 1.) (0.) (15.) (20.) (2.) (3.)
▼ POWER, FRACTION 3 ³ =27 1/2=0.5	3 2	(27.) (0.5)
▼ SQUARE ROOT $\sqrt{3} = 1.7320508$	3	(1.7320508)
▼ PERCENTAGE 1,200x12%=144 200+(200x20%)=240 200-(200x20%)=160	1200 12 200 20 200 20	(144.) (240.) (160.)
▼ MEMORY 3 x 4 = 12 6 ÷ 0.2 = 30 -18 200 182	 3 4 6 0 200 (Recall Memory) (Clear Memory)	(0.) (12.) (30.) (18.) (200.) (182.)
▼ OVERFLOW 123456x7890= 974067840 (ERROR) 6÷0=0 (ERROR)	123456 7890 6 0 	(E 9.7406784) (0.) (E 0.) (0.)

© CANON ELECTRONIC BUSINESS MACHINES (H.K.) CO., LTD. 2011